


# Oblúky NPT F – F, 90° ASME B16.11

Rozmery	3000 lbs				6000 lbs			
	A	H	G	Váha (kg/ks)	A	H	G	Váha (kg/ks)
1/4"	25	25	3,30	0,16	28	33	6,60	0,30
3/8"	28	33	3,51	0,32	33	38	6,98	0,48
1/2"	33	38	4,09	0,44	38	46	8,15	0,75
3/4"	38	46	4,32	0,68	44	56	8,53	1,21
1"	44	56	4,98	1,05	51	62	9,93	1,62
1 1/4"	51	62	5,28	1,26	60	75	10,59	2,73
1 1/2"	60	75	5,50	2,43	64	84	11,07	3,57
2"	64	84	7,14	3,35	83	102	12,09	6,16
2 1/2"	83	102	7,65	5,38	95	121	15,29	9,36
3"	95	121	8,84	8,53	106	146	16,64	17,10
4"	114	152	11,18	17,00	114	152	18,67	




# Oblúky NPT F – F, 45° ASME B16.11

Rozmery	3000 lbs				6000 lbs			
	C	H	G	Váha (kg/ks)	C	H	G	Váha (kg/ks)
1/4"	19	25	3,30	0,14	22	33	6,60	0,27
3/8"	22	33	3,51	0,28	25	38	6,98	0,39
1/2"	25	38	4,09	0,36	28	46	8,15	0,66
3/4"	28	46	4,32	0,54	33	56	8,53	1,02
1"	33	56	4,98	0,90	35	62	9,93	1,35
1 1/4"	35	62	5,28	1,16	43	75	10,59	2,26
1 1/2"	43	75	5,50	1,86	44	84	11,07	3,08
2"	44	84	7,14	3,01	52	102	12,09	5,06
2 1/2"	52	102	7,65	4,73	64	121	15,29	7,74
3"	64	121	8,84	7,35	79	146	16,64	14,35
4"	79	152	11,18	15,00	79	152	18,67	

Uvedené rozmery (v mm) a hmotnosti (kg/ks) slúžia len na informatívne účely.



# T-kusy / Kríže NPT ASME B16.11



Rozmery	3000 lbs			6000 lbs			Váha (kg/ks)		
	A	H	G	A	H	G	T-kus		Križ
							3000 lbs	6000 lbs	3000/6000 lbs
1/4"	25	25	3	29	33	6,60	0,23	0,43	0,27
3/8"	29	33	4	33	38	6,98	0,38	0,61	0,43
1/2"	33	38	4	38	46	8,15	0,54	0,97	0,70
3/4"	38	46	4	44	56	8,53	0,84	1,59	1,05
1"	44	56	5	51	62	9,93	1,30	2,12	1,61
1 1/4"	51	62	5	60	75	10,59	1,64	3,34	2,14
1 1/2"	60	75	6	64	84	11,07	2,92	4,42	3,35
2"	64	84	7	83	102	12,09	4,10	7,82	5,05
2 1/2"	83	102	8	95	121	15,29	6,88	12,28	8,33
3"	95	121	9	106	146	16,64	10,65	22,65	14,63
4"	114	152	11	114	152	18,67	19,00		23,00

## ADRESA

DINANSI, s.r.o.  
 Areál Slovnaft, a.s.  
 Budova ABIII  
 Vlčie hrdlo 1  
 824 12 Bratislava


## KONTAKT

Mobil: + 421 905 551 222  
 Tel: + 421 2 4055 2570-1  
 E-mail: dinansi@dinansi.sk

## FAKTURAČNÉ ÚDAJE


DINANSI s.r.o.  
 Vlčie hrdlo 1  
 824 12 Bratislava  
 IČO: 45 254 273  
 IČ DPH: SK2022913849

# Dná NPT ASME B16.11




Rozmery	3000 lbs				6000 lbs			
	P	D	G	Váha (kg/ks)	P	D	G	Váha (kg/ks)
1/4"	25	20	4,8	0,04	27	26	6,4	0,06
3/8"	25	22	4,8	0,06	27	32	6,4	0,08
1/2"	32	28	6,4	0,12	33	38	7,9	0,15
3/4"	37	35	6,4	0,16	38	45	7,9	0,23
1"	41	45	9,7	0,28	43	57	11,2	0,49
1 1/4"	44	57	9,5	0,51	46	64	11,2	0,68
1 1/2"	44	64	11,2	0,73	48	76	12,7	1,02
2"	48	76	12,7	1,30	51	92	15,7	1,75
2 1/2"	60	92	15,7	2,25	64	108	19,0	2,60
3"	65	108	19,0	3,33	68	127	22,4	4,00
4"	68	140	22,4	6,42	75	159	28,4	9,00

# Nátrubky NPT F – F ASME B16.11



Rozmery	3000 lbs				6000 lbs			
	W	D	Nátrubok Váha (kg/ks)	Nátrubok polovičný Váha (kg/ks)	W	D	Nátrubok Váha (kg/ks)	Nátrubok polovičný Váha (kg/ks)
1/4"	35	20	0,07	0,04	35	26	0,11	0,06
3/8"	38	22	0,09	0,05	38	32	0,14	0,07
1/2"	48	28	0,15	0,08	48	38	0,29	0,15
3/4"	51	35	0,22	0,11	51	44	0,45	0,23
1"	60	44	0,43	0,22	60	57	0,96	0,48
1 1/4"	67	57	0,85	0,42	67	64	1,3	0,65
1 1/2"	79	64	1,08	0,54	79	76	2	1
2"	86	76	1,64	0,82	86	92	3,4	1,7
2 1/2"	92	92	2,32	1,16	92	108	5	2,5
3"	108	108	3,6	1,8	108	127	6,7	3,35
4"	121	140	6,4	3,2	121	159	12,5	6,25




## Redukované nátrubky NPT F – F ASME B16.11

Rozmery	3000 lbs			6000 lbs		
	W (1)	D (1)	Váha (kg/ks)	W (1)	D (1)	Váha (kg/ks)
3/8" x 1/4"	38	22	0,11	38	32	0,17
1/2" x 3/8"	48	28	0,18	48	38	0,35
1/2" x 1/4"	48	28	0,18	48	38	0,35
3/4" x 1/2"	51	35	0,27	51	45	0,6
3/4" x 1/4"	51	35	0,27	51	45	0,6
1" x 3/4"	60	45	0,52	60	57	1,16
1" x 1/2"	60	45	0,52	60	57	1,16
1" x 1/4"	60	45	0,52	60	57	1,16
1 1/4" x 1"	67	57	1,02	67	63	1,56
1 1/2" x 1"	79	64	1,3	79	76	2,4
1 1/2" x 3/4"	79	64	1,3	79	76	2,4
1 1/2" x 1/2"	79	64	1,3	79	76	2,4
2" x 1 1/2"	86	76	1,97	86	92	4,08
2" x 1"	86	76	1,97	86	92	4,08
2 1/2" x 2"	92	92	2,79	92	108	6
3" x 2"	108	108	4,32	108	127	8,04
4" x 3"	121	140	7,68	121	159	15
4" x 2"	121	140	7,68	121	159	15

Uvedené rozmery (v mm) a hmotnosti (kg/ks) slúžia len na informatívne účely.



# Redukcie závitové NPT F – M



Rozmery	3000 lbs	
	M (1)	N (1)
3/8" x 1/4"	42	22
1/2" x 3/8"	49	28
1/2" x 1/4"	49	28
3/4" x 1/2"	59	35
1" x 3/4"	63	45
1" x 1/2"	61	45
1" x 1/4"	60	45
1 1/4" x 1"	72	60
1 1/2" x 1"	72	63
1 1/2" x 3/4"	67	63
1 1/2" x 1/2"	67	63
2" x 1/2"	71	75
2" x 1"	76	75
2 1/2" x 2"	92	95
3" x 2"	95	110
4" x 3"	113	140
4" x 2"	100	140

## ADRESA

DINANSI, s.r.o.  
 Areál Slovnaft, a.s.  
 Budova ABIII  
 Vlčie hrdlo 1  
 824 12 Bratislava

## KONTAKT

Mobil: + 421 905 551 222  
 Tel: + 421 2 4055 2570-1  
 E-mail: dinansi@dinansi.sk

## FAKTURAČNÉ ÚDAJE


DINANSI s.r.o.  
 Vlčie hrdlo 1  
 824 12 Bratislava  
 IČO: 45 254 273  
 IČ DPH: SK2022913849

# Zátky šesťhranné NPT ASME B16.11





Rozmery	3000 lbs - 6000 lbs			Váha (kg/ks)
	A min	F nominal	H min	
1/4"	11	16	6	0,03
3/8"	13	18	8	0,05
1/2"	14	22	8	0,08
3/4"	16	27	10	0,14
1"	19	36	10	0,25
1 1/4"	21	46	14	0,51
1 1/2"	21	50	16	0,64
2"	22	65	18	1,06
2 1/2"	27	76	19	1,78
3"	28	90	21	2,75
4"	32	115	25	6,20

Uvedené rozmery (v mm) a hmotnosti (kg/ks) slúžia len na informatívne účely.



# Redukované zátky so závitom NPT M-F ASME B16.11

Rozmery	3000 lbs - 6000 lbs			Váha (kg/ks)
	A min	F nominal	G min	
3/8" x 1/4"	13	18	4	0,02
1/2" x 3/8"	14	22	5	0,03
1/2" x 1/4"	14	22	5	0,03
3/4" x 1/2"	16	27	6	0,05
3/4" x 1/4"	16	27	6	0,05
1" x 3/4"	19	36	6	0,07
1" x 1/2"	19	36	6	0,07
1" x 1/4"	19	36	6	0,07
1 1/4" x 1"	21	46	7	0,11
1 1/2" x 1"	21	50	8	0,14
1 1/2" x 3/4"	21	50	8	0,14
1 1/2" x 1/2"	21	50	8	0,14
2" x 1 1/2"	22	65	9	0,28
2" x 1"	22	65	9	0,28
2 1/2" x 2"	27	75	10	0,49
3" x 2"	28	90	10	0,71
4" x 3"	32	115	13	1,50
4" x 2"	32	115	13	1,50




## Trubkové hrdlá závitové NPT

Rozmery	b			Váha (kg/ks)
	K (1)	M (1)	N (1)	
1/4"	30	28	14	0,07
3/8"	30	32	17,4	0,08
1/2"	33,5	38	21,6	0,14
3/4"	35,5	45	26,9	0,20
1"	43	63	33,6	0,34
1 1/4"	48	68	42,4	0,55
1 1/2"	51	76	48,5	0,60
2"	57,5	95	60,9	0,77

Uvedené rozmery (v mm) a hmotnosti (kg/ks) slúžia len na informatívne účely.



# Šróbenia závitové NPT M - F MSS SP 83-BS 3799



**ADRESA**

DINANSI, s.r.o.  
 Areál Slovnaft, a.s.  
 Budova ABIII  
 Vlčie hrdlo 1  
 824 12 Bratislava

**KONTAKT**


Mobil: + 421 905 551 222  
 Tel: + 421 2 4055 2570-1  
 E-mail: dinansi@dinansi.sk

**FAKTURAČNÉ ÚDAJE**

DINANSI s.r.o.  
 Vlčie hrdlo 1  
 824 12 Bratislava  
 IČO: 45 254 273  
 IČ DPH: SK2022913849

Rozmery	3000 lbs		6000 lbs		Váha (kg/ks)
	Q (1)	R (1)	Q (1)	R (1)	3000 lbs
1/4"	61	36			0,54
3/8"	69	41			0,73
1/2"	75	46	94,5	64,5	1,70
3/4"	80	56	98,5	64,5	2,01
1"	90	65	108	80	2,78
1 1/4"	98	80	120	87	3,48
1 1/2"	100	87	138	100	4,90
2"	120	100	146	122	8,48


# Šróbenia závitové NPT F - F MSS SP 83-BS 3799




Rozmery	3000 lbs			6000 lbs		
	Q (1)	R (1)	Váha (kg/ks)	Q (1)	R (1)	Váha (kg/ks)
1/4"	45	36	0,33			
3/8"	51	41	0,42			
1/2"	52	46	0,54	63	64,5	1,45
3/4"	57	56	0,66	63	64,5	1,79
1"	63	65	0,8	71	80	2,30
1 1/4"	66	80	1,37	89	87	2,83
1 1/2"	78	87	1,96	89	100	3,90
2"	91	100	3,62	119	122	6,78
2 1/2"	118	125	6,71	128	144	10,00
3"	120	144	8,85	148	200	16,00
4"	148	200	12,00			

Uvedené rozmery (v mm) a hmotnosti (kg/ks) slúžia len na informatívne účely.

# Vsuvky závitové NPT M – M BS 3799



Rozměry	A	E	C	W	b		Váha (kg/ks)	
	(mini)	(mini)	(mini)	(mini)	3000 lbs	6000 lbs	3000 lbs	6000 lbs
1/8"	11	10	6	26	5	2	0,03	0,04
1/4"	15	15	6	36	8	6	0,03	0,05
3/8"	18	16	8	40	11	8	0,05	0,10
1/2"	22	20	8	48	14	11	0,08	0,15
3/4"	27	21	10	52	19	13	1,11	0,21
1"	35	25	10	60	24	17	0,17	0,35
1 1/2"	50	26	16	68	38	30	0,34	0,55
2"	62	27	17	71	49	39	0,55	1,00




# Vsuvky redukované závitové NPT M – M BS 3799

Rozměry	A	E	F	C	W	b		Váha (kg/ks)
	(mini)	(mini)	(mini)	(mini)	(mini)	3000 lbs	6000 lbs	3000 lbs
1/4" x 1/8"	15	15	10	5	31	5	2	0,04
3/8" x 1/4"	18	16	15	8	39	8	6	0,06
1/2" x 3/8"	22	20	16	8	44	11	8	0,08
1/2" x 1/4"	22	20	15	8	43	8	6	0,08
3/4" x 1/2"	27	21	20	9	50	14	11	0,13
3/4" x 3/8"	27	21	16	9	46	11	8	0,13
1" x 3/4"	35	25	21	10	56	19	13	0,24
1" x 1/2"	35	25	20	10	55	14	11	0,24
1 1/2" x 1"	50	26	25	16	67	24	17	0,4
1 1/2" x 3/4"	50	26	21	16	63	19	13	0,4
1 1/2" x 1/2"	50	26	20	16	62	14	11	0,4
2" x 1 1/2"	62	27	26	17	70	38	30	0,75
2" x 1"	62	27	25	18	70	24	17	0,75
2" x 3/4"	62	27	21	17	65	19	13	0,75
2" x 1/2"	62	27	20	18	65	14	11	0,75

Uvedené rozměry (v mm) a hmotnosti (kg/ks) slouží jen na informativní účely.

## Swage nipples MSS SP 95 – BS 3799



Rozmery	3000 lbs			Hrúbka steny podľa ASME B36.10			Váha pre Sch80 (kg/ks)
	K		L				
	BS 3799	MSS SP95					
3/8" x 1/4"	76	64	16	Sch 40	Sch 80		0,50
1/2" x 3/8"	89	70	19	Sch 40	Sch 80		0,11
1/2" x 1/4"	89	70	19	Sch 40	Sch 80		0,11
3/4" x 1/2"	95	76	22	Sch 40	Sch 80	Sch 160	0,17
3/4" x 1/4"	95	76	22	Sch 40	Sch 80		0,17
1" x 3/4"	102	89	22	Sch 40	Sch 80	Sch 160	0,29
1" x 1/2"	102	89	22	Sch 40	Sch 80	Sch 160	0,29
1" x 1/4"	102	89	22	Sch 40	Sch 80	Sch 160	0,29
1 1/4" x 1"	114	102	25	Sch 40	Sch 80	Sch 160	0,45
1 1/2" x 1"	114	114	25	Sch 40	Sch 80	Sch 160	0,70
1 1/2" x 3/4"	114	114	25	Sch 40	Sch 80	Sch 160	0,70
1 1/2" x 1/2"	165	165	25	Sch 40	Sch 80	Sch 160	0,70
2" x 1 1/2"	165	165	29	Sch 40	Sch 80	Sch 160	1,45
2" x 1"	165	165	30	Sch 40	Sch 80	Sch 160	1,45
2 1/2" x 2"	178	178	32	Sch 40	Sch 80	Sch 160	2,00
3" x 2"	203	203	41	Sch 40	Sch 80	Sch 160	3,50
4" x 3"	229	229	48	Sch 40	Sch 80	Sch 160	4,80
4" x 2"	229	229	48	Sch 40	Sch 80	Sch 160	4,80

**ADRESA**

DINANSI, s.r.o.  
 Areál Slovnaft, a.s.  
 Budova ABIII  
 Vlčie hrdlo 1  
 824 12 Bratislava

**KONTAKT**

Mobil: + 421 905 551 222  
 Tel: + 421 2 4055 2570-1  
 E-mail: dinansi@dinansi.sk

**FAKTURAČNÉ ÚDAJE**

DINANSI s.r.o.  
 Vlčie hrdlo 1  
 824 12 Bratislava  
 IČO: 45 254 273  
 IČ DPH: SK2022913849

**Ukončenie**

Plain ends (PE)  
 Bevelled ends (BE)  
 Threaded ends (TE)  
 NPT

**Prevedenie**

koncentrické  
 excentrické